



Dealer Sales Bulletin

2015MY 300 Features

Strong components, proven technology and years of development experience. Everything else is in the details.

300 4-Stroke Engine

Small but mighty is this 270cc, SOHC, liquid-cooled single-cylinder. It even has a backup fan for consistent cooling.



Fully Independent Front Suspension with Preload Adjustable Shocks

A fully independent front suspension with adjustable shocks makes the 300 a real ally when it comes to getting the work done.



Digital Gauge

The information you need, when you need it. Eight critical operation indicators that keep you informed: clock/hour meter, fuel level, mode button, set/reset button, odometer, gear position lights, speedometer and high-beam light.



Kenda Pathfinder Tires with Powder-Coated Steel Wheels

For work or for play, the Kenda® Pathfinder is durable, reliable, and made to take you everywhere you want to go.





Dealer Sales Bulletin

Front and Rear Steel Racks

Made of high-quality steel, our racks are strong, durable, and rated for 50 lbs. carrying capacity on the front and 100 lbs. on the rear.



Working Headlights and Taillight

When the fun outlasts the sun, this machine lets you see and be seen - with working headlights and a taillight that keeps you running safe.





Dealer Sales Bulletin

300 Specifications

Minimum Operator Age: 16

ENGINE

Engine Type	270cc, SOHC, 4-Stroke, 4-Valve
Cooling System	Liquid with Fan
Bore x Stroke	81x71.2 mm
Alternator Capacity	12.5 amps
Fuel Capacity	3.3 gal.

POWERTRAIN

Transmission	Automatic CVT with Hi/Lo, Neutral & Reverse
Drive System	2 WD
Brakes Front / Rear	Hydraulic Disc

SUSPENSION

Front Suspension	Double A-Arm /.
Travel	5 in
Rear Suspension	Swing Arm /.
Travel	5 in
Ground Clearance	10.2 in.
Front Tire / Size	Kenda Pathfinder / 22x7-10
Rear Tire / Size	Kenda Pathfinder / 22x10-10
Wheels	Powder-Coated Steel

DIMENSIONS

Overall Size	LxWxH	73.6x41.4x44 in.
Wheelbase	46.4 in.	
Dry Weight	477 lbs.	
Front / Rear Rack Capacity	50 / 100 lbs.	
Towing Capacity	500 lbs.	
Hitch Type	Flat Plate with Hole	

DISPLAY

Instrumentation	Digital
Lighting	Dual Halogen Headlights / Single Rear Taillight
Available Color	Red

ADDITIONAL FEATURES

Front & Rear Steel Racks
Specifications Subject to Change





Dealer Sales Bulletin

2015MY 400 Features

Strong components, proven technology and years of development experience. Everything else is in the details.


400 H1 4-Stroke Engine

Mid-sized, but still packing a hefty punch. One ride and you'll see why this single-cylinder, air/oil-cooled, 366cc 4-stroke engine is not to be overlooked.



Fully-Independent Suspension

With an impressive 10 inches of ground clearance and 7 inches of suspension travel, the double A-arms optimize wheel motion translating into more responsive steering and better cornering.



Digital Gauge

Precise readings of the information you need, when you need it. The digital gauge features 14 critical operation information indicators: clock/hour meter, fuel level, mode button, set/reset button, odometer/trip, gear position, speedometer/tachometer, needle display, high-beam lights, temperature and oil pressure.



Kenda Pathfinder Tires with Powder-Coated Steel Wheels

For work or for play, the Kenda® Pathfinder is durable, reliable, and made to take you everywhere you want to go.



Front and Rear Steel Racks

Made of high-quality steel, our racks are strong, durable, and rated for 75 lbs. carrying capacity on the front, and 150 lbs. on the rear.



On-The-Fly 2WD/4WD

Sometimes the terrain requires that little extra. Just flip a switch and you're in 4WD.






Dealer Sales Bulletin

Rear 2-Inch Receiver

Gone are the days of multiple hitches. Hook up to your boat trailer, utility trailer or whatever you need to haul with this rugged, 2-inch rear receiver.





Dealer Sales Bulletin

400 Specifications

Minimum Operator Age: 16

ENGINE

Engine Type	366cc, SOHC, 4-Stroke, 4-Valve
Cooling	Air / Oil
Bore x Stroke	81x71.2 mm
Alternator Capacity	23 amps
Fuel Capacity	4.3 gal.

POWERTRAIN

Transmission	Automatic CVT with EBS Hi/Lo Range, Neutral & Reverse
Drive System	2/4 WD Electric
Brakes Front / Rear	Hydraulic Disc

SUSPENSION

Front Suspension Travel	7 in
Type	Double A-Arm
Rear Suspension Travel	7 in.
Type	Double A-Arm
Ground Clearance	10 in.
Front Tire / Size	Kenda Pathfinder / 25x8-12
Rear Tire / Size	Kenda Pathfinder / 25x10-12
Wheels	Powder-Coated Steel

DIMENSIONS

Overall Size	LxWxH	83.3x44.5x46 in.
Wheelbase	48 in.	
Dry Weight	588 lbs.	
Front Rack Capacity	75 lbs.	
Rear Rack Capacity	150 lbs.	
Towing Capacity	1050 lbs.	
Hitch Type	Rear 2 in. Receiver	

DISPLAY

Instrumentation	Digital
Lighting	Dual Halogen Headlights / Dual Rear Taillights
Available Colors	Green, Red

ADDITIONAL FEATURES

Front & Rear Steel Racks

Specifications Subject to Change

